

# STAINLESS STEEL



**10+** years of the experience in  
ferrous & non-ferrous metals

[www.onetouchexim.com](http://www.onetouchexim.com)

EXPORTER OF  
**FERROUS & NON-FERROUS METALS**

With an outstanding range of steel products, One Touch Exim Engage in manufacturing and supplying high-quality SS metal products with a robust mix of experience over the decades. Our product range includes various types of steel tubes, tubing & pipes, stainless steel shim, welded pipes, steel pipe fittings, and more.

We have a strict quality control approach to ensure that every product we manufacture and supply must meet industry standards and customer expectations.

We make a global presence with our quality products, commitment & on-time delivery. Our dedicated team of procurement and logistics works 24/7 to support the Marketing team. As a result of buying & selling non-ferrous metal for many years, OneTouchexim has established itself as an outstanding worldwide procurement network, trader & distributor. We manage a huge inventory of metals starting from Stainless Steel, Alloy Steel, Brass & Bronze from the raw material to the finished product.

We offer a platform where small customers can buy a wide range of products with MOQ & we consolidate for them. Our client looking at us as a one-stop solution for all categories of metals. OneTouchexim helps beyond the range on special occasions to find the best match of product. We aim to provide the right product at the right price & the right time.



### **Our Mission**

To manufacture and supply high-quality steel products and services that meet the needs of the customers with minimal environmental impact. Building trust and long-term relationships for achieving goals effectively. We also believe that our success is tied to the success of our employees, stakeholders, & communities.



### **Our Vision**

Expanding global presence through strategic partnerships and acquisitions to better serve customers and create sustainable growth. We believe that through dedication, hard work, and cooperation we will be able to create a bright future for everyone.

## Accountability

We have our trusted supply chain to promise delivery on time. We accept our individual and team responsibilities to meet our commitments & take responsibility for our performance in all of our decisions and actions. We take care of accountability for our precious clients doesn't matter when they start working with us.

## Cooperation

Good mutual cooperation across positions and departments is the basis for a pleasant working atmosphere in which employees feel good about themselves and what they are doing. The outmoded oppositions between production and maintenance, factory and administration, and production and sales no longer have any places.

## Innovation

We are creative in delivering value to our fellow associates, customers, shareowners, manufacturers, and the community. We anticipate change and capitalize on the many opportunities that arise. Innovation is a continual process that requires ongoing monitoring, testing, and leadership to minimize risks and optimize outcomes.

## Positive Change

Embracing and capitalizing on change, recognizing that every employee must be empowered to stimulate continuous improvement in all aspects of our business. Positive change encourages innovation, develops skills, develops staff and leads to better business opportunities, and improves staff morale.

## Professionalism

We strive to fulfill our responsibilities to the highest possible standards throughout. Employers want new workers to be responsible, ethical, and team-oriented, and to possess strong communication, interpersonal, and problem-solving skills. Wrap these skills up all together and you've got professionalism.

# 10+ years of experience

## Leadership

We encourage leadership among employees to develop and maintain a talent pool. Life, Health, and Environment. We seek to improve our well-being, our working conditions, and the surroundings in which we live. This is different from traditional leadership where the leader's main focus is the thriving of their company or organization.

## Teamwork


A modern company must be based on teamwork and mutual trust, on striving together for continuous improvement. Our team is supportive of each other's efforts, loyal to one another, and cares for each other both personally and professionally. We work together toward a collective goal in an efficient manner.



## Empowerment

To empower our talented people to take the initiative and to do what's right. Customer service empowerment involves encouraging and authorizing customer service representatives to make decisions that can ultimately benefit both the customer and the company with the help of employee experience.

## Open communication

All team members are encouraged to openly share their opinions and views. Open communication between senior managers & other workers helps to express their ideas, issues & thoughts with one another in a steady, honest, transparent, and reliable manner. This way, teams can avoid surprises, resolve conflicts, and collaborate better.





| PRODUCT                     | TYPE                           | STANDARDS  | GRADES   | SIZE RANGE  |
|-----------------------------|--------------------------------|--|--|---|
| Pipes                       | Seamless                       | ASTM A-312, A-213, A-269, A-268, SA 358, CL1, CL3                                  | TP- 202,304, 304H, 304L, 309, 310, 310S, 316, 316H, 316L, 316Ti, 317, 317L, 321, 321H, 347, 347H, 409, 410, 420, 430, 904L | 1/4" NB to 24" NB<br>SCH : 5,10,20,40,80,160, XXSL    |
|                             | Welded (ERW,EFW,SAW)           | ASTM A-312, A-778, A-249, A-269, A-270, A-668, A-249, A 249, A-554, A-358,IS 13316 | TP- 202,304, 304H, 304L, 309, 310, 310S, 316, 316H, 316L, 316Ti, 317, 317L, 321, 321H, 347, 347H, 409, 410, 420, 430, 904L | 1/2" NB to 60" NB<br>SCH: 5, 10,20,40,80,160, XXS.    |
| Tubes                       | Seamless, Welded (ERW,EFW,SAW) | ASTM A-269, A-213,A-249  | TP- 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316TI, 316H, 316L, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L          | 6.35 mm OD to 254 mm OD<br>THICKNESS: 0.6 mm TO 20 mm |
| Duplex & Super Duplex Pipes | Seamless, Welded               | SA 790   | UNS NO S 31803 , S 32205   | 1/4" NB to 16" NB<br>SCH : 5,10,20,40,80,160, XXS     |

### Forms

Round, Square, Rectangular, Oval,

### Length

Single, Double Random, Cut Length

### Ends

Plain End, Beveled End, Threaded


### Coating on pipe

- Epoxy Fusion Bonded Epoxy Coating,
- Three Layer Polyethylene Coating,
- Three Layer Polypropylene Coating,
- Coal tar Enamel Coating,
- Cement Mortar Lining Coating,
- Concrete Weight Coating

### Value Added Services

Hot Dipped Galvanizing, Electro Polish, Drawing & Expansion, Bending, Buffing





| PRODUCT     | TYPE             | STANDARDS                               | GRADES   | SIZE RANGE         |
|-------------|------------------|---|--|--------------------|
| Bars & Rods | Black and Bright | ASTM A-276, A-314, A-582, A-479, A-A484 | 304, 304H, 304L, 309, 310, 310S, 316, 316L, 316Ti, 317, 317L, 321, 321H, 347, 347H, 904L, UNS31803 | 1DIA: 3mm to 300mm |



**Forms**

Round Bars, Square Bars, Hexagons, Rectangles, Triangles, I-Bars.

**Value Added Services**

Hot Dipped Galvanizing, Epoxy & FBE Coating, Electro Polish

Also available **SS ANGLES** of various Standard, Sizes and specifications.



| PRODUCT               | TYPE  | STANDARDS            | GRADES   | SIZE RANGE         |
|-----------------------|---|----------------------|--|--------------------|
| Plates, Sheets, Coils | Sheet, Plates, Coils, Flat, Strips, Profile, Blank, Circle, Ring, Washers | ASTM A240, ASTM B625 | 304, 304H, 304L, 309, 310, 310S, 316, 316L, 316Ti, 317, 317L, 321, 321H, 347, 347H, 904L, UNS31803 | 1DIA: 3mm to 300mm |

**Forms**

Round Bars, Square Bars, Hexagons, Rectangles, Triangles, I-Bars.

**Value Added Services**

Hot Dipped Galvanizing, Epoxy & FBE Coating, Electro Polish

Also available **SS ANGLES** of various Standard, Sizes and specifications.





| PRODUCT                         | TYPE                         | STANDARDS   | GRADES   | SIZE RANGE   |
|---------------------------------|------------------------------|---|--|--|
| Butt-weld Fittings              | Seamless, Welded, Fabricated | ASTM A403, ANSI B 16.9<br>ASTM A182, ANSI B 16.11                       | TP- 202,304, 304H, 304L, 309, 310, 310S, 316, 316H, 316L, 316Ti, 317, 317L, 321, 321H, 347, 347H, 409, 410, 420, 430, 904L | 1/8" NB To 48"NB<br>SCH: 5s, 10s, 40s, 80s, 10, 20, 40, STD, 60, 80, XS, 100, 120, 140, 160, XXS                       |
| Duplex Steel Butt-weld Fittings | Seamless, Welded, Fabricated | ASTM, ASME, SA 182  | UNS NO.S 31803, S 32205  | -  |
| Forged Fittings                 | Socket Welded & Screwed      | ASTM, ASME, SA 182  | F 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316TI, 316H, 316L, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L            | 15" NB to 100" NB<br>LBS : 3000, 6000, 9000  |
| Outlets                         | Socket Welded & Screwed      | ASTM, ASME, SA 182  | F 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316TI, 316H, 316L, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L            | ¼" NB to 24"NB<br>LBS : 3000, 6000, 9000   |
| Flanges                         | -                            | ASTM, ASME, SA 182, A-240   | F 304, 304L, 304H, 309S, 309H, 310S, 310H, 316, 316TI, 316H, 316L, 316LN, 317, 317L, 321, 321H, 347, 347H, 904L            | ½" (15 NB) to 48" (1200NB)<br>LBS : 150,300, 600, 900, 1500, 2500,<br>ASA : 150, 300<br>PN : 6,10,16,25, 40,64,100,160 |
| Fasteners                       | -                            | ASTM,ASME A,SA 193/194<br>UNS NO.S 31803, S 32205<br>(Duplex Fasteners) | B 8 (304),B 8C(SS 347),B 8M(SS 316),B 8 T (SS 321), A 2, A 4   | M10 to M100,<br>LENGTH: Up to 5 Mtr  |

### **Forged Fittings Forms**

Elbow 45 deg & 90 degree, Tee, Union, Full & Half coupling, Cross, Cap, Swage Nipple, Plug- Bush

### **Outlets Forms**

Weldolet, Sockolet, Elbowlet, Thredolet, Nipolet, Letrolet, Swepolet

### **Flanges Forms**

Slip on – SORF, Weld Neck – WNRF, Socket Weld – SWRF, Blind – BLRF, Lapped Joint, Screwed, Long Weld Neck, Reducing, Spectacle, Ring Joint, Drawing

### **Butt-weld Fittings Forms**

- Elbows in Long & Short Radius in 45 deg, 90 deg, 180 deg,
- Equal, Unequal Tee & Barred Tee,
- Eccentric Reducer & Concentric Reducer.
- Caps & Crosses.
- Long & Short Stub End.
- Swage Nipple & Barrel Nipple.

### **Fasteners Forms**

**Bolts :** Stud Bolts, Hex Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U-Bolts, J Bolts, Mushroom Head Square Neck Bolts, T- head Bolts, Wing Screw, Eye Bolt, Eye Bolt, Foundation Bolts, and Structural Bolts.


**Washer :** Plain Washer, Plain Big & Small OD Washer, Spring Lock Washer, Spring Washer Heavy Duty, Tooth Washer, Star Washer,

**Nuts :** Hexagon Nuts , Hexagon Coupling Nuts , Hexagon Thin Nut , Square Nut , Hexagon Castle Nuts , Self Locking Nut , Hexagon Domed Cap Nuts.


**Screw :** Pan Head Slotted Screws , Cheese Head Slotted Screws , Countersunk Head Slotted Screws , Countersunk Raised Head Slotted Screws , Pan Phillipse Head Screw , Countersunk Phillipse Raised Head Screws , Slotted Cheese Trim Head Machine Screws , Socket Head Allen Cap Screws , Allen Countersunk Socket Head Cap Screws , Socket Head Shoulder Screws , Socket Head Cap Screw Low Head , Hexagon Socket Set Screw With Flat Point , Hexagon Socket Set Scews With Cone Point , Hexagon Socket Set Screw With Dog Point , Hexagon Socket Set Screws With Dog Point , Hexagon Socket Set Screws With Cup Point, Imprial Socket Cap Screws.

### **Value Added Services**

Hot Dipped Galvanizing, Epoxy & FBE Coating, Electro Polish, Heat Treatment, CNC Machining, Threading




Slot Hole  
Perforated Sheet




Decorative  
Perforated Sheet




316 Stainless Steel  
Perforated Sheet



Decorative  
Perforated Sheet




SS 304I  
Perforated Sheet



Stainless steel  
perforated mesh sheet



SS Perforated  
Sheet



Perforated  
SS Sheet



Perforated  
Steel Sheet



Slotted Stainless Steel  
Perforated Sheet



Stainless Steel  
Perforated Sheet



Square Hole  
Perforated Sheet

|  |   |  |
|--|---|--|
| Type   | 1mm/ 2mm perforated stainless steel metal mesh screen sheet   |  |
| Thickness                                    | 0.3-15mm  |  |
| Widthness                                    | 1000mm~ 2000mm or customized  |  |
| Length                                       | 1000mm~ 6000mm or customized  |  |
| High Demand<br>SS Perforated Sheet Thickness | 1, 1.25, 1.6, 2, 8 mm   |  |
| Standard                                     | JIS, AISI, ASTM, GB, DIN, EN  |  |
| Material                                     | 201/201/304/ 304L/ 316/316ti/ 316L/ 321/309S/ 310S/ 904L stainless steel perforated sheet   |  |
| Surface                                      | 2B, BA, HL, Brush, NO.1, NO.4, 8K, SB, etc  |  |
| Hole Pattern                                 | <ul style="list-style-type: none"> <li>- Round Hole Perforated Sheet</li> <li>- Square Hole Perforated Sheet</li> <li>- Slot Hole Perforated Sheet</li> </ul>       | <ul style="list-style-type: none"> <li>- Decorative Perforated Sheet</li> <li>- Embossed Sheet</li> </ul>  |
| Other Perforation Material                   | <ul style="list-style-type: none"> <li>- Perforated Steel Sheet</li> <li>- Perforated Stainless Steel Sheet</li> </ul>  | <ul style="list-style-type: none"> <li>- Perforated Aluminum Sheet</li> <li>- Perforated Copper Sheet</li> </ul>                                     |
| Perforated Sheet Application                 | <ul style="list-style-type: none"> <li>- Etched Plates</li> <li>- Perforated Metal Noise Barrier</li> <li>- Perforated Filter</li> <li>- Perforated Tube</li> </ul> | <ul style="list-style-type: none"> <li>- Perforated Sunshade Panels</li> <li>- Perforated Kinetic Facade</li> <li>- Anti-Skid Stair Steps</li> </ul> |
| Certificate                                  | We accept the third inspections such as SGS-BV etc.   |  |
| Standard sheet sizes                         | 1000mm*2000mm, 1250mm*2500mm, 1219mm*2438mm, 1500mm*3000mm We can produce other standard as customized  |  |



| Surface Finish           | Thickness (mm) |
|--------------------------|----------------|
| No. 1                    | 3.0mm ~50.0mm  |
| 2B                       | 0.25mm ~6mm    |
| No. BA (Bright Annealed) | 0.25mm ~3.0mm  |
| No. 4                    | 0.4mm ~3.0mm   |
| No. 8                    | 0.5mm ~2.0mm   |
| HL(Hair Line)            | 0.4mm ~3.0mm   |

| Hole Diameter |         | Staggered Centers | Sheet Thickness      |                     | Open Area |
|---------------|---------|-------------------|----------------------|---------------------|-----------|
| 0.033 In.     | 0.84mm  | 0.055«            | 0.0165-0.0198 IN.    | 0.40-0.50mm         | 28.00%    |
| 0.045 In.     | 1.14mm  | 0.066«            | 0.0165-0.0198 IN.    | 0.40-0.50mm         | 37.00%    |
| 1/16 In.      | 1.59mm  | 3/32 In.          | 0.026-0.053 IN.      | 0.66-1.35mm         | 41.00%    |
| 1/16 In.      | 1.59mm  | 1/8 In.           | 0.046-0.053 IN.      | 1.17-1.36mm         | 23.00%    |
| 3/32 In.      | 2.38mm  | 9/64 In.          | 0.054-0.065 IN.      | 1.37-1.65mm         | 40.30%    |
| 3/32 In.      | 2.38mm  | 5/32 In.          | 0.026-0.079 IN.      | 0.66-2.00mm         | 33.00%    |
| 3/32 In.      | 2.38mm  | 1/4 In.           | 0.033-0.053"         | 0.84-1.35mm         | 12.50%    |
| 1/8 In.       | 3.17mm  | 3/16 In.          | 0.026-0.129"         | 0.80-2.89mm         | 40.00%    |
| 1/8 In.       | 3.17mm  | 7/32 In.          | 0.026-0.039"         | 0.66-0.99mm         | 29.60%    |
| 5/32 In.      | 3.97mm  | 3/16 IN.          | 0.026-0.065"         | 0.66-1.65mm         | 63.00%    |
| 3/16 In.      | 4.76mm  | 1/4 IN.           | 0.026-0.079"         | 0.66-2.00mm         | 50.00%    |
| 3/16 In.      | 4.76mm  | 5/16 IN.          | 0.029", 0.059"       | 0.73mm, 1.50mm      | 32.00%    |
| 1/4 In.       | 6.35mm  | 5/16 IN.          | 0.026-0.079"         | 0.66-2.00mm         | 58.00%    |
| 1/4 In.       | 6.35mm  | 3/8 IN.           | 0.012", 0.026-0.065" | 0.30mm, 0.66-1.65mm | 40.00%    |
| 1/2 In.       | 12.70mm | 11/16 IN.         | 0.059", 0.121"       | 1.50mm, 3.00mm;     | 48.00%    |



We have already delivered our consignment to more than 50 countries.

**Thank you. For your valuable time!**

## Contact Us

and let one of our friendly staff help with your requirements.

✉ [info@onetouchexim.com](mailto:info@onetouchexim.com)

🖱 [www.onetouchexim.com](http://www.onetouchexim.com)

📞 +91 7838759114

📍 Plot No. E-21C, Sector-8,  
Noida, UP-201301, India